MAURI

Fasten your business

ITALIAN FASTENERS CREATOR SINCE 1953

www.mauri-fm.it

Welcome to Mauri

F.lli Mauri S.p.A., established in 1953, designs and manufactures fasteners and OEM parts made by steel cold forging.

It all began in a garage in Italy in late 1940's when two brothers set out to experiment with an innovative solution to weld metal chains. That entrepreneurial spirit with the drive to find innovative solutions became F.lli Mauri S.p.A..
Today Mauri is an European leader of cold forged fasteners with over 80 employees.

Cold forging is at the core of our business. With an R&D team of 14 employees, we develop new products, tooling and machinery in-house.

We are dedicated to this technology because it is extremely efficient, cost effective, and has a low environmental impact allowing for material savings of up to 75% versus traditional production methods.

We proudly serve customers in over 45 markets globally.
It is our pleasure to cooperate with you and welcome you to our company.

Please contact us at sales@mauri-fm.it


unit 1
Via Barzago, 189
23852 Garlate LC
unit 2
Via del Lavoro, 5
23854 Olginate LC

Insert nuts : With head

from page 28


312A0 32


312C1 33


312S2 34


317A0 35


318F5 36


318L2 37


326A0 38


327A0 39


328A0 40


329A0 41

Insert nuts : Without head

from page 42


312E8 45


312N1 46


314A0 47


315A0 48


351A0 49

Knock down insert nut : With head

from page 50


644A0 54


645A0 55


645C1 56


645C2 57


645C5 58


645D6 59


645D7 60


645Q7 61


670A0 62


670C1 63


670K1
64


672A0
65

Knock down insert nut : Without head

from page 66


316A1
69


682A0
70

Sleeve nut : CSK head with hex recess

from page 71


571A0
74


621A0
75


635C3
76

Sleeve nut : Flat head

from page 77


331A0
80


505E2
81


592A0
82


674A0
83


674C5
84



686A0
85

Sleeve nut : Flat head with hex recess

from page **86**



563A0
90



563C1
91



563C3
92



593A0
93



594A0
94



594A5
95



596A0
96



596A5
97



602A6
98



608A0
99



608A5
100



659A0
101



666A0
102



669A0
103

Sleeve nut : Flat head with Pz - Ph recess

from page **104**



635A0
107



639A0
108

Sleeve nut : Flat head with slot recess

from page 109


609A0 112


614A0 113


653A0 114

Sleeve nut : Round head

from page 115


607A0 118


607C5 119


607L6 120


607P3 121


675A0 122


983A0 123

Sleeve nut : Round head with hex recess

from page 124


564A0 128


564C3 129


595A0 130


595D1 131


597A0 132


602A0 133


603H9 134


628A0 135


629A0 136


637A0 137


662A0
138

Sleeve nut : Round head with slot recess

from page 139


615A0
142


974A0
143

Sex bolts : CSK head

from page 144


530A0
147


531A0
148


567P0
149


622L3
150

Sex bolts : CSK head with Pz - Ph recess

from page 151


622A0
154

Sex bolts : Flat head

from page 155


555L3 158


636A6 159


647C8 160


803A0 161

Sex bolts : Flat head with hex recess

from page 162


555A6 165


555G8 166

Sex bolts : Flat head with Pz - Ph recess

from page 167


497A0 170

Sex bolts : Oval head with Pz - Ph recess

from page 171


503A0 174


503F9 175

Sex bolts : Oval head with slot recess

from page 176



800H9
179

Sex bolts : Round head

from page 180



800E0
183



800E9
184



802A0
185

Sex bolts : Round head with Pz - Ph recess

from page 186



555A0
189



555E2
190



565A0
191



565C5
192



565E2
193



616A0
194



636A0
195

Adjustable feet : Hollow screws

from page 196


578A0 199


578C5 200


578M8 201


579A0 202

Adjustable feet : Levelers

from page 203


290G0 207


290G2 208


290N2 209


290ND 210


290R4 211


300G0 212


301G0 213


303N2 214


304G0 215


310G0 216


604G6 217


645G0 218


645GD 219


720G0 220


30110 221


30410 222


30643 223


30644 224


30654 225


30655 226

Adjustable feet : Pins for adjustable feet

from page 227


291A0 230


310A0 231


654A0 232


725A0 233


730A0 234

Bushings : Insert for plastic

from page 235


111A0 239


323A0 240


330A0 241


331P3 242


333A0 243


695A6 244


695C1 245


695Q4 246


696A0 247


696Q4 248


985A0 249

Bushings : Inserts for pipe

from page 250


321A0 253


680A0 254

Bushings : Pipes studs

from page 255


340A0 258


352A1 259


505A0 260

Bushings : Riveting bushes

from page 261


335A0 265


337A0 266


337C1 267


342A0 268


343A0 269


344A0 270


346A0 271


375A0 272


957A0 273

Bushings : Special shape

from page 274


183A0 277


183D7 278


188A0 279


189A0 280


196A0 281


196D7 282

Bushings : Table pins

from page 283


405A0 286


405B4 287

Bushings : Welded bushings

from page 288


349A0 291


612A0 292


612C1 293


683A0 294


684A0 295


911A0 296


930A0 297


930E0 298

Hex key : L shape hardened

from page 299


566C8 302


566F3 303

Hex key : L shape not hardened

from page 304



566A0
307



566P6
308

Hex key : Z shape hardened

from page 309



624C8
312

Connecting fittings : 180 degrees pilot hole 35 mm

from page 313



661A0
316



665A0
317



665C4
318



665G0
319



66115
320



66140
321



66501
322

Connecting fittings : 90 degrees pilot hole 15 mm

from page 323


150A0
326


166A0
327


175A0
328


175K1
329


178A0
330


24001
331

Connecting fittings : 90 degrees pilot hole 25 mm safe

from page 332


24001
335


24501
336

Connecting fittings : 90 degrees pilot hole 30 mm

from page 337


30510
340


51201
341


62701
342

Connecting fittings : 90 degrees pilot hole 35 mm

from page 343


250A0 346


255G0 347


25510 348

Connecting fittings : 90 degrees pilot hole 35 mm safe

from page 349


165A0 352


252A0 353


452A0 354


24001 355


24501 356

Connecting fittings : 90 degrees pilot hole 40 mm

from page 357


50401 360

Rivet nut : Office chairs brackets rivets

from page 361


668A0 364

Rivet nut : Top Nut rivet autopiercing

from page 365


646A0 368


646P0 369

Rivet nut : Top Nut rivet pre drilled hole

from page 370


667A0 373


671A0 374


690A0 375

Spacers : With hole

from page 376


945A0 380


946A0 381


946B5 382


947A0 383


948A0 384


948B4 385


949A0 386


950A0 387


950B5 388


950Q7 389


951A0 390

Assembling screws : Flat head with hex recess

from page 391


416A0 395


416B0 396


433A0 397


470A0 398


509A0 399


509L1 400


513A0 401


553A0 402


657A0 403

Assembling screws : Flat head with Pz - Ph recess

from page 404


416A8 407


470C2 408


510A0 409


553C2 410


657C1 411

Assembling screws : Round head with hex recess

from page 412


513B3 415

Wood screws : Euroscrews

from page 416


422A0 420


422A5 421


422A6 422


422A7 423


422C6 424


422E4 425


422K0 426


422P0 427


422R9 428


424A0 429


424A6 430


447A0 431

Wood screws : Flat head with hex recess

from page 432


562A0 435

Wood screws : Flat head with Pz - Ph recess

from page 436


415A0 439


601A0 440

Wood screws : Hex head

from page 441


472A0 444


474A0 445

Wood screws : Hook screws

from page 446


585A0 449

Wood screws : Round head with hex recess

from page 450


514A0 453


514B9 454

Metal screws : CSK head with hex recess

from page 455


426A0 458

Metal screws : CSK head with Pz - Ph recess

from page 460



420A0 463

Metal screws : Cutting head

from page 464



515A0 467



515B4 468

Metal screws : Flat head with hex recess

from page 469



414A0 472



419A0 473



562A0 474



562C5 475

Metal screws : Flat head with Pz - Ph recess

from page 476



497C4 479

Metal screws : Hex head

from page 480


412A0 483


475A0 484

Metal screws : Pan head

from page 485


425A0 488

Metal screws : Round head with hex recess

from page 489


514A0 492


514B5 493

Metal screws : Round head with Pz - Ph recess

from page 494


404A0 498


404E4 499


413A0 500


501C4 501


555C4 502


565C4
503


565C6
504


565H1
505


616C4
506

Studs : Hanger bolt

from page 507


400H1
510


613A0
511

Studs : Studs for plastic

from page 512


515C1
516


801A0
517


848A0
518


962A0
519


977A0
520


977E3
521


977H2
522


977K7
523


978E3
524

Stop screws : Hex recess

from page 525


810A0 528


810B4 529


810B5 530

Pins : Pins

from page 531


590D0 534


590P2 535


590P4 536


655A0 537


841A0 538


861E1 539

Brackets : Flat shape

from page 540


20103 543


20104 544


50703 545


50704 546

Brackets : L shape

from page 547



21701 550



21801 551



22001 552

Insert nuts : With head

A MAURI steel insert nut gives a higher level of performance and confidence compared to die-cast versions. It is the perfect anchor for various material densities to create a long lasting connection. The presence of the head facilitates depth positioning. Insertion by screw-in action is performed using the part's recess.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
										
312A0	●	●				●	●	●	●	●
312C1	●	●				●	●	●	●	●
312S2	●	●				●	●	●	●	●
317A0		●	●		●	●	●	●	●	●
318F5	●	●				●	●	●	●	●
318L2	●	●				●	●	●	●	●
326A0	●	●				●	●	●	●	●
327A0	●	●				●	●	●	●	●


	Materials					Assembling			Quality	
										
328A0		●				●	●		●	●
329A0	●					●	●	●	●	●


Coating




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	d	diam	dk	l	s	pilothole
312A006012	M6	10	12	12	6	8
312A006013	M6	10	12	13	6	8
312A006015	M6	10	12	15	6	8
312A006017	M6	10	12	17	6	8
312A006020	M6	10	12	20	6	8
312A006024	M6	10	12	24	6	8
312A008013	M8	12,5	14	13	8	10
312A008015	M8	12,5	14	15	8	10
312A008017	M8	12,5	14	17	8	10
312A008020	M8	12,5	14	20	8	10
312A008024	M8	12,5	14	24	8	10
312A010020	M10	15,3	17	20	10	13
312A010025	M10	15,3	17	25	10	13







article	d	diam	dk	l	s	pilothole
312C106013	M6	10	12	13	6	8




article	d	diam	dk	l	s	pilothole
312S206018	M6	12	13,8	18	6	10




article	d	diam	dk	l	s	pilothole
317A004008	M4	10	12	8	5	8
317A004010	M4	10	12	10	5	8
317A005007	M5	10	12	7	6	8
317A006008	M6	10	12	8	6	8
317A006010	M6	10	12	10	6	8
317A006015	M6	10	12	15	6	8









article	d	diam	dk	k	l	s	pilothole
318F508017	M8	15,3 SX	22	2,5	17	10	13
318F510017	M10	15,3 SX	22	2,5	17	10	13




article	d	diam	dk	k	l	s	pilothole
318L206016	M6	10 SX	15	2	16	6	8




article	d	diam	dk	l	s	pilothole
326A006010	M6	10	12	10	6	8





article	d	diam	dk	l	s	pilothole
327A008010	M8	12	13,6	10	8	10



article	d	diam	dk	k	l	s
328A006008	M6	15	17	1	8,5	6








article	d	diam	dk	k	l	s	pilothole
329A006012	M6	10 SX	14	1,5	12	6	8
329A008014	M8	12,5 SX	20	2	14	8	10
329A010014	M10	15,3 SX	21	2,5	14	10	13

Insert nuts : Without head

A MAURI steel insert nut gives a higher level of performance and confidence compared to die-cast versions. It is the perfect anchor for various material densities to create a long lasting connection. Without head models may have a flat surface of similar diameter to the outer thread. Insertion by screw-in action is performed using the part's recess or the inner thread depending on the model.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
										
312E8	•	•				•	•	•	•	•
312N1	•	•				•	•	•	•	•
314A0	•	•				•	•	•	•	•
315A0	•	•				•	•	•	•	•
351A0	•	•				•	•	•	•	•

Coating




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.







article	d	diam	dk	l	s	pilothole
312E806015	M6	12	12	15	6	10
312E806022	M6	12	12	22	6	10




article	d	diam	dk	k	l	s	pilothole
312N106012	M6	10	9,8	2,3	12	6	8







article	b	d	diam	dk	k	l	s	pilothole
314A004010	6	M4	8	8	1,5	10	4	6
314A005012	7,5	M5	10	10	1,5	12	5	8
314A006012	6	M6	12	12	1	12	6	10
314A006015	9	M6	12	12	1	15	6	10
314A006018	12	M6	12	12	1	18	6	10
314A008015	9	M8	14	14	3,5	15	8	12
314A008020	14	M8	14	14	3,5	20	8	12
314A008024	18	M8	14	14	3,5	24	8	12
314A010025	20	M10	18	18	3,5	25	10	16
314A010030	24	M10	18	18	3,5	30	10	16





article	b	d	diam	ds	l	pilothole
315A006028	8	M6	10,5	8,2	28	8
315A008032	10	M8	13	10,2	32	10





article	d	diam	ds	l	pilothole
351A008015	M8	12,50	9,4	15	10
351A008020	M8	12,50	9,4	20	10
351A008025	M8	12,50	9,4	25	10
351A010020	M10	15,50	11,60	20	13
351A010025	M10	15,50	11,60	25	13
351A010030	M10	15,50	11,60	30	13

Knock down insert nut : With head

A MAURI steel knock down insert nut with head provides one of the most stable platforms for adjustable levelers. The wide and solid head provides a stable base, while anti-rotation features facilitate coupling with the counterpart. Insertion is performed by applying pressure.





Scan QR code for more information


- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
644A0						•	•	•	•	•
645A0						•	•	•	•	•
645C1						•	•	•	•	•
645C2						•	•	•	•	•
645C5						•	•	•	•	•
645D6						•	•	•	•	•
645D7						•	•	•	•	•
645Q7	•					•	•	•	•	•

	Materials					Assembling			Quality	
										
670A0						●	●	●	●	●
670C1						●	●	●	●	●
670K1						●	●	●	●	●
672A0						●	●	●	●	●


Coating


312A006010 _




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.









article	d	diam	dk	ds	k	l	pilothole
644A006010	M6	9	19	8,4	3	10	8,5
644A006011	M6	9	19	8,4	3	11	8,5
644A006012	M6	9	19	8,4	3	12	8,5
644A006014	M6	9	19	8,4	3	14	8,5




article	d	diam	dk	ds	k	l
645A00506M	M5	7,5	11	7,5	1	6,5
645A006014	M6	9	14	8,3	1,5	14
645A008016	M8	11	19	10,4	2,5	16
645A010017	M10	13	22	12,4	2,5	17






article	d	diam	dk	ds	k	l
645C108014	M8	11	19	10,4	1,5	14






article	d	diam	dk	ds	k	l
645C208012	M8	11	17	10,4	2	12




article	d	diam	dk	ds	k	l
645C506014	M6	9	17	8,3	1,5	14






article	d	dk	ds	k	l	pilothole
645D606009	M6	19	8,4	3	9	8,5
645D606010	M6	19	8,4	3	10	8,5
645D606011	M6	19	8,4	3	11	8,5
645D606012	M6	19	8,4	3	12	8,5
645D606014	M6	19	8,4	3	14	8,5





article	d	diam	dk	ds	k	l
645D708014	M8	11	19	10,4	2	14
645D710015	M10	13	22	12,4	2,5	15






article	d	diam	dk	ds	k	l	pilothole
645Q708014	M8	11	19	10,4	1,1	14	11
645Q708016	M8	11	19	10,4	1,1	16	11









article	d	dk	ds	k	l
670A006009	M6	15	8,5	2	9
670A006014	M6	15	8,5	2	14
670A008016	M8	19	10,8	2	16
670A010015	M10	22	12,6	2,5	15




article	d	dk	ds	k	l
670C110015	M10	26	12,60	2,5	15








article	d	dk	ds	k	l
670K108016	M8	19	10	2	16





article	d	dk	k	l
672A00506M	M5	11	1,3	6,5

Knock down insert nut : Without head

A MAURI steel knock down insert without head can be used in situations where the part must be completely inserted or immersed. Insertion is performed by applying pressure.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
	Soft wood or Particle board	Hard wood or MDF	Laminate or HPL	Metal	Plastic	Manual Insertion	Semi automated processing	Industry automated processing	ISO inner thread	RoHS compliance
316A1	•	•				•	•	•	•	•
682A0	•	•				•	•	•	•	•


Coating

312A006012 _




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	d	ds	l	pilothole
316A106015	M6	10,2	15	10
316A106028	M6	10,2	28	10
316A10621D	M6	10,2	21,8	10
316A108015	M8	12,2	15	12






article	d	diam	dk	l	pilothole
682A006013	M6	11	12	13	10

Sleeve nut : CSK head with hex recess

The MAURI sleeve nuts range has the variety to meet your connecting needs. A sleeve nut can be used in combination with another part with a similar head geometry. When tightened, it forms a connection where material is clamped between the two heads. The CSK head design allows it to remain flush with the surrounding surface.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
										
571A0						•	•		•	•
621A0						•	•		•	•
635C3						•	•		•	•


Coating

312A006010 _




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	b	d	dk	ds	l	s	pilothole
571A006020	12	M6	12	8	20	4	8





article	b	d	dk	ds	l	s
621A006031	14	M6	13	9,9	31	4
621A00633M	14	M6	13	9,9	33,5	4





article	b	d	dk	ds	l	s	pilothole
635C306015	7,5	M6	10,5	8	15	4	8

Sleeve nut : Flat head

The MAURI sleeve nuts range has the variety to meet your connecting needs. A sleeve nut can be used in combination with another part with a similar head geometry. When tightened, it forms a connection where material is clamped between the two heads. The smooth head can be used as a design feature for improved aesthetics.









Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
331A0						•	•		•	•
505E2						•	•		•	•
592A0						•	•		•	•
674A0	•					•	•		•	•
674C5		•				•	•		•	•
686A0				•		•	•		•	•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	d	dk	ds	k	l	pilothole
331A00406M	M4	7	5	1	6,5	5






article	d	dk	ds	k	l	pilothole
505E206014	M6	12	8	1,5	14	8









article	b	d	dk	ds	k	l	pilothole
592A008025	22	M8	15	10	2,5	25	10
592A00816M	10	M8	15	10	2,5	16,5	10








article	b	d	dk	ds	k	l	pilothole
674A006008	5	M6	13	9,3	1,5	8	8
674A006010	7	M6	13	9,3	1,5	10	8



article	b	d	dk	ds	k	l	pilothole
674C506009	5	M6	14,5	8,65	2,5	9	8







article	d	dk	k	l	pilothole
686A008010	M8	15	2	10	11

Sleeve nut : Flat head with hex recess

The MAURI sleeve nuts range has the variety to meet your connecting needs. A sleeve nut can be used in combination with another part with a similar head geometry. When tightened, it forms a connection where material is clamped between the two heads. The hexagon recess head design is the most common.







Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
563A0						•	•		•	•
563C1						•	•		•	•
563C3						•	•		•	•
593A0						•	•		•	•
594A0						•	•		•	•
594A5						•	•		•	•
596A0						•	•		•	•
596A5						•	•		•	•


	Materials					Assembling			Quality	
										
602A6						●	●		●	●
608A0						●	●		●	●
608A5						●	●		●	●
659A0						●	●		●	●
666A0						●	●		●	●
669A0						●	●		●	●

Coating

312A006010 _


UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.







article	b	d	dk	ds	k	l	s	pilothole
563A006010	5	M6	15	9	2	10	5	9
563A006012	7	M6	15	9	2	12	5	9
563A006015	10	M6	15	9	2	15	5	9
563A006018	13	M6	15	9	2	18	5	9






article	b	d	dk	ds	k	l	s	pilothole
563C105015	10	M5	14,5	7	2	15	5	7






article	b	d	dk	ds	k	l	s	pilothole
563C305009	6	M5	15	9	2	9	4	9
563C306010	5	M6	15	9	2	10	4	9
563C306012	7	M6	15	9	2	12	4	9
563C306015	10	M6	15	9	2	15	4	9
563C306018	13	M6	15	9	2	18	4	9




article	b	d	dk	ds	k	l	s	pilothole
593A00811M	7	M8	17	10	2	11,5	5	10







article	b	d	dk	ds	k	l	s	pilothole
594A008016	11	M8	19	10	2,5	16	5	10




article	b	d	dk	ds	k	l	s	pilothole
594A508015	10,5	M8	18	10	2	15	5	10
594A50813M	9	M8	18	10	2	13,5	5	10




article	b	d	dk	ds	k	l	s	pilothole
596A006016	11	M6	19,5	9	2,5	16	5	9
596A006032	20	M6	19,5	9	2,5	32	5	9



article	b	d	dk	ds	k	l	s	pilothole
596A506013	8	M6	18	9	2	13	5	9




article	b	d	dk	ds	k	l	s	pilothole
602A610018	12	M10	22,5	13	2	18	6	13







article	b	d	dk	ds	k	l	s	pilothole
608A006012	7	M6	15	8	2	12	4	8
608A006015	10	M6	15	8	2	15	4	8




article	d	dk	ds	k	l	s	pilothole
608A506009	M6	12	7,8	2	9	4	8



article	b	d	dk	ds	k	l	s	pilothole
659A006016	11	M6	19,5	8	2	16	4	8



article	d	dk	ds	k	l	s	pilothole
666A01009M	M10	22	13	3	9,5	10	13



article	b	d	dk	ds	k	l	s	pilothole
669A008018	14	M8	20	12	2,5	18	6	12

Sleeve nut : Flat head with Pz - Ph recess

The MAURI sleeve nuts range has the variety to meet your connecting needs. A sleeve nut can be used in combination with another part with a similar head geometry. When tightened, it forms a connection where material is clamped between the two heads.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
635A0						•	•		•	•
639A0						•	•		•	•


Coating

312A006010 _




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	dk	ds	l	pzd	pilothole
635A006015	9	M6	10,5	8	15	3	8
635A006020	12,5	M6	10,5	8	20	3	8



article	b	d	dk	ds	k	l	pzd	pilothole
639A008015	12	M8	15	10	4	15	3	10
639A008020	17	M8	15	10	4	20	3	10

Sleeve nut : Flat head with slot recess

The MAURI sleeve nuts range has the variety to meet your connecting needs. A sleeve nut can be used in combination with another part with a similar head geometry. When tightened, it forms a connection where material is clamped between the two heads. The slot recess tool is the most diffused among consumers.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
609A0						•	•		•	•
614A0						•	•		•	•
653A0						•	•		•	•


Coating

312A006012 _




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	b	d	dk	ds	k	l	pilothole
609A00813M	10	M8	15	10	2,5	13,5	10





article	b	d	dk	ds	k	l	pilothole
614A008014	10,5	M8	20	10	2,5	14	10



article	b	d	dk	ds	k	l	pilothole
653A006009	7	M6	12	8	2	9	8
653A006012	8,5	M6	12	8	2	12	8
653A006015	10,5	M6	12	8	2	15	8

Sleeve nut : Round head

The MAURI sleeve nuts range has the variety to meet your connecting needs. A sleeve nut can be used in combination with another part with a similar head geometry. When tightened, it forms a connection where material is clamped between the two heads. The smooth head can be used as a design feature for improved aesthetics.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
607A0						•	•		•	•
607C5						•	•		•	•
607L6						•	•		•	•
607P3						•	•		•	•
675A0						•	•		•	•
983A0						•	•		•	•

Coating

312A006010 _


UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	b	d	dk	ds	k	l	pilothole
607A006010	7,5	M6	15	8	3,5	10	8






article	b	d	dk	ds	k	l	pilothole
607C506015	13	M6	16	8	3	15	8




article	b	d	dk	ds	k	l	pilothole
607L604010	7	M4	10	5	1,5	10	5






article	d	dk	ds	k	l
607P304007	M4	10	4,9	1,6	7





article	b	d	dk	ds	k	l
675A005007	5	M5	14,5	7,2	1,8	7





article	b	d	dk	ds	k	l	pilothole
983A006010	5	M6	14	9	2,6	10	8

Sleeve nut : Round head with hex recess

The MAURI sleeve nuts range has the variety to meet your connecting needs. A sleeve nut can be used in combination with another part with a similar head geometry. When tightened, it forms a connection where material is clamped between the two heads. The hexagon recess head design is the most common.







Scan QR code for more information


- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
564A0						•	•		•	•
564C3						•	•		•	•
595A0						•	•		•	•
595D1						•	•		•	•
597A0						•	•		•	•
602A0						•	•		•	•
603H9						•	•		•	•
628A0						•	•		•	•

	Materials					Assembling			Quality	
										
629A0						•	•		•	•
637A0						•	•		•	•
662A0						•	•		•	•


Coating


312A006010 _



UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.









article	b	d	dk	ds	k	l	s	pilothole
564A006010	5	M6	15	9	3	10	5	9
564A006012	7	M6	15	9	3	12	5	9
564A006015	10	M6	15	9	3	15	5	9
564A006018	13	M6	15	9	3	18	5	9








article	b	d	dk	ds	k	l	s	pilothole
564C306012	7	M6	15	9	3	12	4	9
564C306015	10	M6	15	9	3	15	4	9
564C306018	13	M6	15	9	3	18	4	9







article	b	d	dk	ds	k	l	s	pilothole
595A008014	9,5	M8	20	10	3	14	5	10
595A008016	12	M8	20	10	3	16	5	10
595A008020	15	M8	20	10	3	20	5	10






article	b	d	dk	ds	k	l	s	pilothole
595D108020	12	M8	20	10	3	20	6	10








article	b	d	dk	ds	k	l	s	pilothole
597A006016	11	M6	20	9	3	16	5	9
597A006020	15	M6	20	9	3	20	5	9






article	b	d	dk	ds	k	l	s	pilothole
602A010013	9	M10	20	13	4	13	5	13







article	b	d	dk	ds	k	l	s	pilothole
603H905013	8,5	M5	12	6,5	2	13	4	6,5






article	b	d	dk	ds	k	l	s	pilothole
628A006012	7,5	M6	15	8	3	12	4	8









article	b	d	dk	ds	k	l	s	pilothole
629A006010	6	M6	13	8	3	10	5	8





article	b	d	dk	ds	k	l	s	pilothole
637A006012	7	M6	15	8	3	12	5	8
637A006015	11	M6	15	8	3	15	5	8
637A006020	17	M6	15	8	3	20	5	8





article	b	d	dk	ds	k	l	s	pilothole
662A010016	11,5	M10	30	14	4	16	6	14

Sleeve nut : Round head with slot recess

The MAURI sleeve nuts range has the variety to meet your connecting needs. A sleeve nut can be used in combination with another part with a similar head geometry. When tightened, it forms a connection where material is clamped between the two heads. The slot recess tool is the most diffused among consumers.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
615A0						•			•	•
974A0						•			•	•

Coating

312A006010 _


UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	b	d	dk	ds	k	l	pilothole
615A008014	10,5	M8	20	10	3	14	10



article	b	d	dk	ds	k	l	pilothole
974A006012	9	M6	14,5	8	3,5	12	8

Sex bolts : CSK head

The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function. The CSK head design allows it to remain flush with the surrounding surface.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
530A0						•	•		•	•
531A0						•	•		•	•
567P0						•	•		•	•
622L3						•	•		•	•

Coating

312A006010 _


UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	b	d	dk	ds	l	pilothole
530A006029	8,3	M6	12	8	29	8







article	b	d	dk	ds	k	l	pilothole
531A005035	12	M5	12	7	3	35	7





article	b	d	dk	ds	l	lg	pilothole
567P004030	15	M4	9	5	30	22	5





article	b	d	dk	ds	q	pilothole
622L304026	14,5	M4	7,5	5	26	5

Sex bolts : CSK head with Pz - Ph recess

The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function. The CSK head design allows it to remain flush with the surrounding surface.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
622A0						●	●		●	●


Coating

312A006010 _



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	b	d	dk	ds	pzd	q	pilothole
622A004015	8,5	M4	7,5	5	2	15	5
622A004017	10,5	M4	7,5	5	2	17	5
622A004018	11,5	M4	7,5	5	2	18	5
622A004020	13,5	M4	7,5	5	2	20	5
622A004026	14,5	M4	7,5	5	2	26	5
622A004030	14,5	M4	7,5	5	2	30	5
622A004035	14,5	M4	7,5	5	2	35	5

Sex bolts : Flat head

The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function. The smooth head can be used as a design feature for improved aesthetics.








Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
555L3						•	•		•	•
636A6						•	•		•	•
647C8						•	•		•	•
803A0			•	•	•		•		•	•


Coating

312A006010 _




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	b	d	dk	ds	k	q	pilothole
555L306020	14,5	M6	14	8	2	20	8




article	b	d	dk	ds	k	l	pilothole
636A60408M	5,8	M4	10	5	1	8,5	5





article	b	d	dk	ds	k	l
647C805025	14	M5	14,5	6,2	2,5	25





article	d	dk	ds	k	l	pilothole
803A005026	M5	9,2	6	0,8	26	6

Sex bolts : Flat head with hex recess

The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
555A6						•	•		•	•
555G8						•	•		•	•


Coating

312A006010 _




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	b	d	dk	ds	k	l	p	s	pilothole
555A606042	20	M6	15	8	2,5	41,4	29	4	8





article	b	d	dk	ds	k	l	s	pilothole
555G805039	15	M5	13	8	2	39	4	8
555G805044	15	M5	13	8	2	44	4	8
555G805050	15	M5	13	8	2	50	4	8

Sex bolts : Flat head with Pz - Ph recess

The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function. The discrete head can be used to reduce the visual impact for improved aesthetics.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
497A0	•	•				•	•		•	•

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	dk	ds	k	l	pzd	pilothole
497A004015	10	M4	10	5	1,5	15	2	5
497A004028	14,50	M4	10	5	1,5	28	2	5
497A004030	14,50	M4	10	5	1,5	30	2	5

Sex bolts : Oval head with Pz - Ph recess

The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function. The discrete head can be used to reduce the visual impact for improved aesthetics.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
503A0						•	•		•	•
503F9						•	•		•	•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	b	d	dk	ds	pzd	q	pilothole
503A004015	10,5	M4	7,5	5	2	15	5





article	b	d	dk	ds	ph	q	pilothole
503F904015	9,5	M4	7	5	2	15	5
503F904020	14,5	M4	7	5	2	20	5

Sex bolts : Oval head with slot recess

The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function. The discrete head can be used to reduce the visual impact for improved aesthetics.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
800H9				•		•	•		•	•

Coating

312A006010 _

UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	b	d	dk	ds	l	pilothole
800H904015	10,5	M4	7,2	5	15	5
800H904020	14,5	M4	7,2	5	20	5
800H904025	19,5	M4	7,2	5	25	5

Sex bolts : Round head

The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function. The smooth head can be used as a design feature for improved aesthetics.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
800E0						•	•		•	•
800E9						•	•		•	•
802A0			•	•	•	•	•		•	•


Coating

312A006010 _




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	dk	ds	l
800E004015	10	M4	7,2	5	15
800E004020	11	M4	7,2	5	20



article	cq	d	dk	ds	l
800E904020	5	M4	7	5	20





article	b	cq	d	dk	ds	k	l
802A004020	16	6,3	M4	11	6	2	20

Sex bolts : Round head with Pz - Ph recess

The MAURI sex bolts are extremely useful and versatile, finding applications in wood, steel, cardboard binding and plastic. One of the many applications is to connect, but more importantly to align and keep parts aligned over time by providing a supportive function. The round head with Pz – Ph recess offers the most variety in design and lengths.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
										
555A0						•	•		•	•
555E2						•	•		•	•
565A0						•	•		•	•
565C5						•	•		•	•
565E2						•	•		•	•
616A0						•	•		•	•
636A0						•	•		•	•

Coating

312A006010 _


UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	b	d	dk	ds	k	l	pzd	pilothole
555A006015	9,5	M6	15	7,8	3,5	15	3	8
555A006020	14,5	M6	15	7,8	3,5	20	3	8
555A006025	15	M6	15	7,8	3,5	25	3	8
555A006031	15	M6	15	7,8	3,5	31	3	8
555A006038	15	M6	15	7,8	3,5	38	3	8




article	b	d	dk	ds	k	l	pzd	pilothole
555E206012	6,5	M6	15	7,8	3,5	12	3	8
555E206015	9,5	M6	15	7,8	3,5	15	3	8
555E206020	14,5	M6	15	7,8	3,5	20	3	8








article	b	d	dk	ds	k	l	pilothole
565A004015	9,5	M4	10	5	2,5	15	5
565A004020	14	M4	10	5	2,5	20	5
565A004025	14,5	M4	10	5	2,5	25	5
565A004027	14,5	M4	10	5	2,5	27	5
565A004030	14,5	M4	10	5	2,5	30	5
565A004035	14,5	M4	10	5	2,5	35	5









article	b	d	dk	ds	k	l	pilothole
565C504015	10	M4	11	5	2,5	15	5



article	b	d	dk	ds	k	l	pilothole
565E204010	6	M4	10	5	2,5	10	5
565E204020	14,5	M4	10	5	2,5	20	5
565E204025	14,5	M4	10	5	2,5	25	5
565E204035	14,5	M4	10	5	2,5	35	5
565E20409M	6	M4	10	5	2,5	9,5	5
565E20413M	10,5	M4	10	5	2,5	13,5	5
565E20414M	10,5	M4	10	5	2,5	14,5	5



article	b	combi_ph	d	dk	ds	k	l	pilothole
616A006014	9	3	M6	13	8	3	14	8



article	d	dk	ds	k	l	pzd	pilothole
636A00414M	M4	8,5	5	2	14,5	2	5

Adjustable feet : Hollow screws

The MAURI hollow screws are a smart way to connect levelers to kitchen base cabinets.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
578A0						•				•
578C5						•				•
578M8						•				•
579A0						•				•


Coating

312A006010 _




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	d	dk	ds	k	l	lg	s
578A010032	M10	16	10	3	32	9	6
578A010040	M10	16	10	3	40	9	6






article	d	dk	k	l
578C510016	M10	21	2	16



article	d	dk	k	l	lg	s
578M810035	MB10	12	1,2	35	8	6



article	d	dk	ds	k	l	lg	s
579A010032	M10	16	10	3	32	9	6

Adjustable feet : Levelers

MAURI's wide range of levelers means you can find the solution that best fits your need.The range consists of different sizes, lengths, and models with the common scope of providing stability and easy regulation. Some solutions come pre-assembled with a knock down insert nut.





Scan QR code for more information


- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
290G0						•	•			•
290G2						•	•			•
290N2						•	•			•
290ND						•	•			•
290R4						•	•			•
300G0						•	•			•
30110						•	•			•
301G0						•	•			•

	Materials					Assembling			Quality	
									ISO	RoHS
303N2						•	•			•
30410						•	•			•
304G0						•	•			•
30643						•	•			•
30644						•	•			•
30654						•	•			•
30655						•	•			•
310G0						•	•			•
604G6						•	•			•
645G0						•	•	•	•	•
645GD						•	•	•	•	•
720G0						•	•			•


Coating

312A006010 _




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.







article	cq	d	l	pzd	q
290G008030	8	M8	30	2	35
290G008035	8	M8	35	2	40
290G008040	8	M8	40	2	45
290G008045	8	M8	45	2	50
290G008050	8	M8	50	2	55
290G008060	8	M8	60	2	65
290G008070	8	M8	70	2	75
290G008080	8	M8	80	2	85
290G008090	8	M8	90	2	95
290G008100	8	M8	100	2	105









article	cq	d	dk	ds	l	q
290G208030	8	M8	20	10	30	35
290G208050	8	M8	20	10	50	55
290G208070	8	M8	20	10	70	75
290G208080	8	M8	20	10	80	85
290G208100	8	M8	20	10	100	105




article	cq	d	dk	l	q
290N208035	8	M8	19	35	40




article	cq	d	dk	l	q
290ND08070	8	M8	19	70	75






article	cq	d	dk	l	q
290R408030	8	M8	17	30	35






article	d	dk	l	q
300G006015	M6	21	22	15
300G006020	M6	21	27	20
300G006025	M6	21	32	25
300G008022	M8	28	30	22
300G008038	M8	28	46	38
300G010025	M10	32	34	25






article	d	dk	l
301G008030	M8	33	30
301G008040	M8	33	40
301G008050	M8	33	50
301G008060	M8	33	60
301G008070	M8	33	70
301G008080	M8	33	80
301G008090	M8	33	90
301G010040	M10	33	40
301G010050	M10	33	50
301G010060	M10	33	60
301G010070	M10	33	70
301G010080	M10	33	80
301G010090	M10	33	90
301G010100	M10	33	100






article	cq	d	dk	l	q
303N208120	8	8M	19	120	125






article	d	dk	l	s
304G008040	M8	33	40	4
304G008045	M8	33	45	4
304G008050	M8	33	50	4
304G008060	M8	33	60	4
304G008065	M8	33	65	4
304G010032	M10	33	32	4
304G010040	M10	33	40	4
304G010060	M10	33	60	4
304G010070	M10	33	70	4
304G010080	M10	33	80	4
304G010085	M10	33	85	4
304G010100	M10	33	100	4





article	d	l	pzd	q
310G008025	M8	25	2	30






article	d	ds	l	s	pilothole
604G600000	M6	8	15	12	8







article	d	ds	l	s
645G006025	M6	8	14	12




article	d	ds	l	s
645GD06025	M6	9	14	12






article	d	l	q	s
720G010056	M10	42	56	10
720G010100	M10	86	100	10







article	d	l
3011008040	M8	40
3011008050	M8	50
3011008060	M8	60
3011008070	M8	70
3011008080	M8	80
3011008090	M8	90
3011008100	M8	100
3011008110	M8	110
3011008120	M8	120
3011010040	M10	40
3011010060	M10	60
3011010070	M10	70
3011010080	M10	80
3011010090	M10	90
3011010100	M10	100







article	d	l	s
3041008040	M8	40	4
3041008050	M8	50	4
3041008060	M8	60	4
3041010032	M10	32	4
3041010060	M10	60	4
3041010070	M10	70	4
3041010080	M10	80	4
3041010100	M10	100	4
3041010120	M10	120	4






article	d	s
3064308060	M8	4






article	d	s
3064408060	M8	4





article	d
3065408110	M8





article	d
3065508110	M8

Adjustable feet : Pins for adjustable feet

MAURI's wide range of levelers means you can find the solution that best fits your need. Pins can be coupled together with a plastic component to complete the leveler.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
291A0						•	•			•
310A0						•	•			•
654A0						•	•			•
725A0						•	•			•
730A0						•	•			•


Coating


312A006010 _




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	d	ds	k	q	s
291A008072	M8	8	3,5	72	10






article	d	dk	l	pzd	s
310A008022	M8	16	22	2	4






article	b	d	ds	l	s
654A008027	18	M8	9,5	27	4
654A008040	29	M8	9,5	40	4





article	d	ds	l	lg	s
725A012070	M12	11,8	70	13	13





article	d	dk	k	l	s
730A008025	M8	19,5	4	25	4
730A008030	M8	19,5	4	30	4
730A008040	M8	19,5	4	40	4
730A008065	M8	19,5	4	65	4

Bushings : Insert for plastic

The MAURI inserts for plastic can be immersed in the plastic part in order to have a resistant inner thread. All models have characteristics to prevent rotation and extraction.





Scan QR code for more information


- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
111A0			•		•	•	•		•	•
323A0			•		•	•	•	•	•	•
330A0										
331P3						•	•		•	•
333A0						•	•		•	•
695A6						•	•	•	•	•
695C1						•	•	•	•	•
695Q4						•	•	•	•	•

	Materials					Assembling			Quality	
										
696A0						●	●	●	●	●
696Q4						●	●	●	●	●
985A0						●	●		●	●


Coating


312A006010 _




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	d
111A006010	M6
111A008010	M8






article	b	d	diam	dk	k	l	s
323A004010	6,5	M4	5,6	8	2,5	10	4




article	d	diam	dk	l
330A00815M	M8	11,5	13	15,5







article	b	dk	ds	k	l
331P310016	8	21	10	2	16
331P310022	11	21	10	2	22




article	b	dk	ds	l	p	q
333A010014	6	24	10	17	11,5	14
333A010022	14	24	10	25	19,5	22








article	b	d	dk	k	q	s
695A608026	21	M8	16	1,5	26	10
695A608030	26	M8	16	1,5	30	10






article	b	d	dk	k	l	s
695C108027	26	M8	16	5,5	27	10
695C108030	26	M8	14	5,5	30	10






article	b	d	dk	k	l	s
695Q408030	26	M8x1	14	5,5	30	10






article	b	d	dk	k	l	s
696A008030	26	M8	13,8	3,5	30	10



article	b	d	dk	k	l	s
696Q408030	26	M8x1	13,8	3,5	30	10





article	b	d	dk	ds	l	q	pilothole
985A005017	12	M5	10,5	8,8	14	17	9
985A006017	12	M6	10,5	8,8	14	17	9
985A006021	16	M6	10,5	8,8	18	21	9
985A008017	12	M8	13	11	14	17	11
985A008021	16	M8	13	11	18	21	11
985A010021	16	M10	14,5	13	18	21	13

Bushings : Inserts for pipe

The MAURI inserts for pipes allow for pipes to have a calibrated hole, making them compatible to connect to other components. Our research and development team is here to help you design and create complex parts through unique solutions.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
321A0				•				•		•
680A0				•				•		•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	dk	ds	l
321A024018	24	11,2	18






article	dk	ds	q
680A022028	22	19	28

Bushings : Pipes studs

The MAURI pipe studs allows for pipes to have an inner thread, making them compatible to connect to other components. Our research and development team is here to help you design and create complex parts through unique solutions.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
340A0						•	•		•	•
352A1						•	•		•	•
505A0						•	•		•	•

Coating





UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	cq	d	dk	ds	k	l
340A00612M	8	M6	11	9	1,5	12,5
340A008013	11	M8	15	11,8	2	13








article	d	ds	l
352A106011	M6	12,2	11,5
352A110015	M10	17,5	15





article	cq	d	dk	ds	k	l
505A006014	8	M6	12	8	2	14

Bushings : Riveting bushes

The MAURI riveting bush is able to be used for riveting a rotating mechanism in place. This may be in the form of wheels or slide mechanisms. Our research and development team is here to help you design and create complex parts through unique solutions.







Scan QR code for more information


- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
335A0						●	●		●	●
337A0				●			●	●		●
337C1				●			●	●		●
342A0						●	●		●	●
343A0						●	●		●	●
344A0						●	●			●
346A0						●	●			●
375A0				●			●	●	●	●

	Materials					Assembling			Quality	
										
957A0						•	•		•	•


Coating

312A006010 _




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.







article	dk	ds	k	l
335A015515	20	15,5	4,5	15









article	d	diam	dk	k	l
337A020020	12,20	19,90	24	2,4	20








article	d	diam	dk	k	l
337C12016D	12,2	19,9	24	1,5	16,7




article	dk	ds	k	l
342A012010	25	16	8	10







article	dk	ds	k	l
343A01009D	22	13,9	8,8	9,2
343A01210M	22	14,9	7,5	10,5
343A017010	22	16,9	10	10



article	dk	k	l	q
344A00902M	11,5	2	3,5	2,5




article	dk	k	l	q
346A00602D	10	2	4	2,7





article	d	diam	ds	l	p	q
375A004014	M4	4	7	14	6	10,5
375A00416M	M4	4	7	16,5	11	13



article	dk	ds	k	l
957A011028	15	10,6	2,2	28

Bushings : Special shape

The MAURI research and development team is here to help you design and create complex parts through unique solutions.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
183A0				•			•			•
183D7				•			•			•
188A0				•			•			•
189A0				•			•			•
196A0				•			•			•
196D7				•			•			•


Coating


312A006010 _




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.









article	dk	ds	k	l	q
183A01909M	25	19,5	2,5	9,5	5




article	diam	l
183D719026	19	26







article	diam	l	s	t_min
188A019055	19	55	6	5






article	d	dk	ds	k	l	s
189A019031	15	25	19	2,5	31	4,2





article	dk	ds	l
196A019016	25	19	16



article	dk	ds	l
196D716016	25	16	15

Bushings : Table pins

The MAURI table pins have a locating function to always have perfect alignment. The most common application is alignment of the tops of sliding tables.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
405A0	•	•				•				•
405B4	•	•				•				•


Coating

312A006010 _




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	dk	l	p
405A006011	8,1	11	10





article	dk	ds	l	lg	q
405B406011	8,1	5,9	20	9	11

Bushings : Welded bushings

The MAURI bushings can be welded create connection points. Applications may be within office chairs, sheet metal parts, metal pipe connections. Our research and development team is here to help you design and create complex parts through unique solutions.





Scan QR code for more information


MAURI
Fasten your business

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
349A0				●				●	●	●
612A0				●		●	●	●	●	●
612C1				●		●	●	●	●	●
683A0				●			●	●		●
684A0				●			●	●		●
911A0				●			●	●	●	●
930A0				●		●	●		●	●
930E0				●		●	●		●	●


Coating


312A006010 _




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	dk	ds	l
349A01014D	16	M10	14,6






article	b	d	dk	ds	k	l
612A004016	10,5	M4	7	5,6	1,7	16







article	b	d	dk	ds	k	q
612C104016	11	M4	8	5,6	2,5	16






article	ds	q
683A013026	13	26






article	ds	l
684A016028	16,5	27,5






article	b	d	dk	ds	k	q
911A010020	12	M10	16	13,5	4	20





article	d	dk	ds	q
930A006014	M6	11	9	14





article	d	dk	ds	k	l
930E006014	M6	11	9	1,5	14

Hex key : L shape hardened

The MAURI hexagon key is the perfect assembly tool because it is easy and safe to use, even for inexperienced users. The quality and consistency of the hardening is guaranteed by process controls and our internal quality laboratory.





Scan QR code for more information


- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
566C8						•				•
566F3						•				•

Fasten your business


Coating

312A006010 _




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	a	b	ds	s
566C820000	54	18	2,35	2
566C825000	54	18	2,8	2,5
566C830000	60	22	3,36	3
566C840000	66	28	4,5	4
566C850000	76	31	5,65	5





article	a	b	ds	s
566F336086	86	36	6,75	6

Hex key : L shape not hardened

The MAURI hexagon key is the perfect assembly tool because it is easy and safe to use, even for inexperienced users. The quality is guaranteed by process controls and our internal quality laboratory.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
566A0						•				•
566P6						•				•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	a	b	ds	s
566A080000	96	44	9,05	8





article	a	b	ds	s
566P628072	72	28	3,36	3
566P643070	70	43	3,36	3

Hex key : 2 shape hardened

The MAURI hexagon key is the perfect assembly tool because it is easy and safe to use, even for inexperienced users. The quality and consistency of the hardening is guaranteed by process controls and our internal quality laboratory.





Scan QR code for more information

Fasten your business

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic

- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
										
624C8						•				•


Fasten your business

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	a	b	ds	s
624C830000	46	19	3,45	3
624C840000	48	20	4,48	4
624C850000	48	22	5,58	5

Connecting fittings : 180 degrees pilot hole 35 mm

MAURI's connecting fittings offer various solutions to make secure joints which can be disassembled. The 180 degrees connections designed for pilot hole 35mm. can be used for worktops or for wardrobe doors.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
66115		•	•	•	•	•		•		•
66140						•				
661A0		•	•	•	•	•	•		•	•
66501		•	•	•	•	•	•	•		•
665A0		•	•	•	•	•	•		•	•
665C4				•		•	•			•
665G0	•	•				•				•


Coating

312A006010 _




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	b	d	dk	ds	k	l
661A006024	18	M6	14	8	9	24






article	d	dk	l	s
665A006017	M6	12	17	10






article	b	cq	d	dk	k	l	ph
665C406065	55	6	M6	11	3	65	2
665C406120	95	6	M6	11	3	120	2
665C406130	95	6	M6	11	3	130	2
665C406150	95	6	M6	11	3	150	2




article	b	l	ph
665G006065	55	65	2
665G006150	95	150	2







article	c	diam
6611500000	2	5,3





article	a	b
6614000000	57,50	44,50








article	c
6650130000	3

Connecting fittings : 90 degrees pilot hole 15 mm

MAURI's connecting fittings offer various solutions to make secure joints which can be disassembled. The 90 degrees connections designed for pilot hole 15mm. can be used for corner joints and cabinet frames.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
										
150A0	●	●				●	●	●		●
166A0	●	●				●	●			●
175A0	●					●				●
175K1	●					●				●
178A0	●					●				●
24001	●	●	●	●	●	●				●

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	dk	l
150A015009	15	12,7
150A01507M	15	11,4







article	diam	dk	ds	l	pzd	pilothole
166A006026	M6	6,60	7,6	26	2	8





article	diam	dk	ds	k	l	pzd
175A064011	6,4	6,5	6,9	3,5	29,8	2






article	diam	dk	ds	k	l	pzd
175K164011	6,4	6,5	6,9	3,5	19,8	2





article	d	dk	k	l	pzd
178A00607M	M6	6,5	3,5	29,80	2



article	dk	l	pilothole
2400115000	15	12	15
2400115018	15	15	15

Connecting fittings : 90 degrees pilot hole 25 mm safe

MAURI's connecting fittings offer various solutions to make secure joints which can be disassembled. The 90 degrees safe connections have 310° of rotation to ensure a secure connection that can resist dynamic loads.







Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
24001	•	•	•	•	•	•				•
24501	•	•	•	•	•	•	•	•		•


Coating


312A006010 _




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.







article	dk	l	s	pilothole
2400125000	25	12	5	25






article	b	diam	dk	ds	l	pilothole
2450106033	9	M6	6,60	7	37,2	8

Connecting fittings : 90 degrees pilot hole 30 mm

MAURI's connecting fittings offer various solutions to make secure joints which can be disassembled. The 90 degrees connections designed for pilot hole 30mm. can be used for corner joints and bed joints. To be used in combination with metal screws with cut head.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
30510	•	•				•				
51201	•	•				•				
62701	•	•				•	•			


Coating

312A006010 _




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	diam	ds	l	pilothole
3051000000	29,5	7,3	14	30



article	diam	ds	l	pilothole
5120100000	29,3	6,3	12,7	30





article	a	b	diam	ds	pilothole
6270100030	25,4	17	30	6	30

Connecting fittings : 90 degrees pilot hole 35 mm

MAURI's connecting fittings offer various solutions to make secure joints which can be disassembled. The 90 degrees connections designed for pilot hole 35mm. can be used for corner joints and bed joints. The large diameter provides a surface area to distribute load forces evenly.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
250A0	•	•	•	•	•	•	•			•
25510	•	•	•	•	•	•				•
255G0	•	•	•	•	•	•				•


Coating

312A006010 _




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.







article	b	d	ds	k	l	pzd	pilothole
250A008052	15	M8	10,5	4	52	2	11
250A008064	27	M8	10,5	4	64	2	11
250A008084	45	M8	10,5	6	84	2	11







article	b	k	l	pilothole
255G008052	15	4	52	35
255G008064	27	4	64	35
255G008084	45	6	84	35






article	s	pilothole
2551035000	6	35

Connecting fittings : 90 degrees pilot hole 35 mm safe

MAURI's connecting fittings offer various solutions to make secure joints which can be disassembled. The 90 degrees safe connections have 310° of rotation to ensure a secure connection that can resist dynamic loads. The large diameter provides a surface area to distribute load forces evenly.





Scan QR code for more information


MAURI
Fasten your business

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
										
165A0	•	•	•	•	•	•	•			•
24001	•	•	•	•	•	•				•
24501	•	•	•	•	•	•	•	•		•
252A0						•				•
452A0	•	•				•				•


Coating

312A006010 _




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	diam	dk	ds	l	pzd	pilothole
165A008011	M8	7,7	8,5	46,5	2	9







article	b	diam	dk	ds	l	ph
252A008035	11	M8	7,75	7	14,7	2
252A008055	11	M8	7,75	7	34,7	2







article	b	cq	diam	dk	ds	k
452A066061	30	6	6,6	7,7	7,9	2,5








article	dk	l	s	pilothole
2400135000	35	16	6	35








article	b	diam	dk	ds	l	pilothole
2450106035	9	M6	7,75	8,4	37,2	9
2450106055	9	M6	7,75	8,4	57,2	9
2450108035	11	M8	7,75	8,4	39,2	9
2450108055	11	M8	7,75	8,4	59,2	9

Connecting fittings : 90 degrees pilot hole 40 mm

MAURI's dowels are the backbone of knock down furniture and are inserted directly into the furniture panel. Our research and development team is here to help you design and create your unique solutions.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
										
50401	•	•				•				


Coating

312A006010 _



UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	diam	k	pilothole
5040100000	8	9	40

Rivet nut : Office chairs brackets rivets

MAURI's office chair bracket rivets are used to connect armrests to the base frame of the office chair. A minumum of two parts are necessary to connect each armrest.







Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
	Soft wood or Particle board	Hard wood or MDF	Laminate or HPL	Metal	Plastic	Manual Insertion	Semi automated processing	Industry automated processing	ISO inner thread	RoHS compliance
668A0				•			•	•		•


Coating

312A006010 _



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	dk	ds	k	l
668A073019	11	7,3	2	19
668A073021	11	7,3	2	21

Rivet nut : Top Nut rivet autopiercing

Once inserted, MAURI's rivets for wood materials create the main anchor points that permit the connection of additional components and assembly. The rivet nut has the advantage that it contains the panel from both sides and will not become loose under pressure. The autopiercing characteristic means that no pre-drilling is required prior to insertion.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
646A0	•	•					•	•	•	•
646P0	•	•					•	•	•	•

Coating

312A006010 _


UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED		Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	d	dk	ds	k	l	p
646A00510M	M5	17	8,55	3	10,5	6
646A00512M	M5	17	8,55	3	12,5	7,5
646A00514M	M5	17	8,55	3	14,5	8,5
646A00610M	M6	17	8,55	3	10,5	6
646A00612M	M6	17	8,55	3	12,5	7,5
646A00614M	M6	17	8,55	3	14,5	8,5
646A00616M	M6	17	8,55	3	16,5	9,5








article	d	dk	ds	k	l	p
646P00509M	M5	15	8,55	3,3	9,5	5

Rivet nut : Top Nut rivet pre drilled hole

Once inserted, MAURI's rivets for wood materials create the main anchor points that permit the connection of additional components and assembly. The rivet nut has the advantage that it contains the panel from both sides and will not become loose under pressure.





Scan QR code for more information


- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
667A0	•	•	•	•	•		•	•	•	•
671A0										
690A0	•	•					•	•	•	•

Fasten your business


Coating


312A006010 _



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	b	d	dk	ds	k	l	p	pilothole
667A004010	4	M4	12	6,5	1	10	7	6,5
667A005008	4	M5	12	6,5	1	8	5	6,5
667A005010	4	M5	12	6,5	1	10	7	6,5
667A00506M	4	M5	12	6,5	1	6,5	3,5	6,5










article	d	dk	ds	k	l	p
671A00610M	M6	15	8	1	10,5	7,5
671A00612M	M6	15	8	1	12,5	7,5
671A00614M	M6	15	8	1	14,5	8,5
671A00616M	M6	15	8	1	16,5	9,5



article	d	dk	k	l	p	s	pilothole
690A006010	M6	15	2	10	6	8,5	8,5
690A006012	M6	15	2	12	7	8,5	8,5
690A006014	M6	15	2	14	8	8,5	8,5
690A006016	M6	15	2	16	9	8,5	8,5
690A010023	M10	22	2,2	23	11	12,8	13

Spacers : With hole

MAURI's spacers allow to maintain a constant distance between objects. Spacers may have multiple diameters to contain conterparts. Our research and development team is here to help you design and create complex parts through unique solutions.





Scan QR code for more information

Fasten your business

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
										
945A0						•				•
946A0						•				•
946B5						•				•
947A0						•				•
948A0						•				•
948B4						•				•
949A0						•				•
950A0						•				•


	Materials					Assembling			Quality	
										
950B5						•				•
950Q7						•				•
951A0						•				•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	dk	ds	l	p
945A014014	14	6,5	14	6
945A018018	18	6,5	18	6






article	dk	ds	l
946A012018	12	9	18
946A014014	14	6,1	14






article	dk	ds	l
946B514020	14	8,1	20
946B514035	14	8,1	35
946B514046	14	8,1	46
946B514047	14	8,1	47
946B514050	14	8,1	50






article	dk	ds	l
947A010017	10	6,4	17
947A010018	10	6,4	18






article	dk	ds	l
948A011011	11	6,4	11
948A08008M	8	4,8	8,5






article	dk	ds	l
948B480010	8	4,5	10






article	dk	ds	l
949A01830D	17,8	8,2	30,4






article	dk	ds	l
950A010009	10	7,5	9
950A012014	12	5	14
950A016027	16	11,2	27
950A01829D	17,8	8,1	29,7
950A01829M	17,8	8,2	29,5
950A01832M	17,8	8,2	32,5
950A020020	20	8,1	20
950A090009	9	5	9
950A090010	9	5	10






article	dk	ds	l
950B520031	20	8,1	31
950B52028D	20	8,1	28,8





article	dk	ds	l
950Q71828D	17,8	8,2	28,8
950Q71829M	17,8	8,2	29,5
950Q71830M	17,8	8,2	30,5
950Q71832M	17,8	8,2	32,5





article	dk	ds	l
951A020021	20	8,1	21
951A02020D	20	8,1	20,1

Assembling screws : Flat head with hex recess

The assembling screws by MAURI are one of the company's historic products. They allow fast cabinet assembly and are available in a variety of lengths and sizes. All have in common an underhead area specifically designed to provide maximum support to minimize wood deterioration over time.





Scan QR code for more information

Fasten your business

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
										
416A0	•	•				•	•			•
416B0	•	•				•	•			•
433A0	•	•				•	•			•
470A0	•	•				•	•			•
509A0						•	•			•
509L1						•	•			•
513A0						•	•			•
553A0						•	•			•


	Materials					Assembling			Quality	
										
657A0						●	●			●

Coating




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	b	diam	dk	ds	p	q	s
416A063040	31,5	6,3	10	7	6	40	4
416A063050	41,5	6,3	10	7	6	50	4
416A070030	21,5	7	10	7	6	30	4
416A070040	31,5	7	10	7	6	40	4
416A070050	41,5	7	10	7	6	50	4
416A070060	48	7	10	7	6	60	4
416A070070	58	7	10	7	6	70	4






article	b	diam	dk	ds	p	q	s
416B070040	31,5	7	10	7	6	40	4
416B070050	41,5	7	10	7	6	50	4
416B070060	48	7	10	7	6	60	4






article	b	diam	dk	ds	q	s
433A063040	31,5	6,3	10	7	40	4
433A063050	41,5	6,3	10	7	50	4
433A070040	31,5	7	10	7	40	4
433A070050	41,5	7	10	7	50	4
433A070060	48	7	10	7	60	4
433A070070	58	7	10	7	70	4






article	b	diam	dk	ds	p	q	s
470A063050	35	6,3	8,5	5	6	50	3






article	b	d	dk	ds	p	q	s
509A006050	38	M6	10	7	6	50	4






article	b	diam	dk	ds	q	s
509L170050	39	7	12	7	50	4
509L170060	42	7	12	7	60	4
509L170070	52	7	12	7	70	4
509L170085	60	7	12	7	85	4
509L170100	75	7	12	7	100	4






article	b	diam	dk	ds	k	l	s
513A070040	33	7	15	7	2,5	40	4
513A070050	40	7	15	7	2,5	50	4
513A070060	42	7	15	7	2,5	60	4
513A070070	52	7	15	7	2,5	70	4





article	b	diam	dk	ds	p	q	s
553A050040	32	5	7,5	5	6	40	3
553A050050	42	5	7,5	5	6	50	3






article	b	diam	dk	ds	p	q	s
657A063050	40	6,3	10	7	6	50	4

Assembling screws : Flat head with Pz - Ph recess

The assembling screws by MAURI are one of the company's historic products. They allow fast cabinet assembly and are available in a variety of lengths and sizes. All have in common an underhead area specifically designed to provide maximum support to minimize wood deterioration over time.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
										
416A8						•	•			•
470C2	•	•				•	•			•
510A0						•	•			•
553C2						•	•			•
657C1						•	•			•


Coating

312A006010 _




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	b	diam	dk	ds	p	pzd	q
416A870040	31,5	7	10	7	6	3	40
416A870050	41,5	7	10	7	6	3	50
416A870060	48	7	10	7	6	3	60
416A870070	58	7	10	7	6	3	70






article	b	diam	dk	ds	p	pzd	q
470C263050	35	6,3	8,5	5	6	2	50






article	b	diam	dk	l	ph
510A063040	30	6,3	8	40	2





article	b	diam	dk	ds	p	pzd	q
553C250040	32	5	7,5	5	6	2	40
553C250050	42	5	7,5	5	6	2	50





article	b	diam	dk	ds	q	s
657C163050	40	6,3	10	7	50	4

Assembling screws : Round head with hex recess

The assembling screws by MAURI are one of the company's historic products. They allow fast cabinet assembly and are available in a variety of lengths and sizes. All have in common an underhead area specifically designed to provide maximum support while minimizing wood deterioration over time.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
										
513B3	•	•				•	•			•

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	b	diam	dk	ds	k	l	s
513B370040	33	7	15	7	3	40	4
513B370050	40	7	15	7	3	50	4
513B370060	42	7	15	7	3	60	4
513B370070	52	7	15	7	3	70	4

Wood screws : Euroscrews

MAURI offers euroscrews in a wide range of designs. Euroscrews are mainly used to attach fittings and accessories. Suitable for wood based panels.





Scan QR code for more information


- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
422A0	•	•				•	•			•
422A5	•	•				•	•			•
422A6	•	•				•	•			•
422A7	•	•				•	•			•
422C6	•	•				•	•			•
422E4	•	•				•	•			•
422K0	•	•				•	•			•
422P0	•	•				•	•			•

	Materials					Assembling			Quality	
										
422R9	●	●				●	●			●
424A0	●	●				●	●			●
424A6										
447A0	●	●				●	●			●


Coating

312A006010 _




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	b	diam	dk	l	pzd	pilothole
422A063009	7	6,3	8	9	2	5
422A063010	8	6,3	8	10	2	5
422A063011	9	6,3	8	11	2	5
422A063013	11	6,3	8	13	2	5
422A063014	12,5	6,3	8	14	2	5
422A063015	12,5	6,3	8	15	2	5
422A063016	14	6,3	8	16	2	5




article	b	diam	dk	l	pzd	pilothole
422A563009	7	6,3	7,2	9	2	5
422A563010	9	6,3	7,2	10	2	5
422A563011	9	6,3	7,2	11	2	5
422A563013	11	6,3	7,2	13	2	5
422A563015	12,5	6,3	7,2	15	2	5






article	b	diam	dk	k	l	pzd	pilothole
422A663009	7,5	6,3	8,5	2	9	2	5
422A663010	9,5	6,3	8,5	2	10	2	5
422A663011	9,5	6,3	8,5	2	11	2	5
422A663013	11,5	6,3	8,5	2	13	2	5
422A663014	13	6,3	8,5	2	14	2	5
422A663016	14,5	6,3	8,5	2	16	2	5




article	combi_pzd	diam	dk	k	l	lg	pilothole
422A763008	2	6,3	9	2	8	1,5	5
422A763013	2	6,3	9	2	13	1,5	5






article	diam	dk	k	l	lg	pzd	pilothole
422C663013	6,3	10,5	2,2	13	1,5	2	5






article	combi_pzd	diam	dk	l	q	pilothole
422E46311M	2	6,3	8	11,5	13	5






article	diam	dk	l	pzd	pilothole
422K045010	4,5	6	10	2	3
422K063010	6,3	7,2	10	2	5







article	b	diam	dk	l	pzd	pilothole
422P063009	7	6,3	8	9	2	5
422P063011	9	6,3	8	11	2	5
422P063013	11	6,3	8	13	2	5
422P063014	12	6,3	8	14	2	5





article	b	diam	dk	k	l	ph	pilothole
422R96311M	9,5	6,3	9	3,3	11,5	2	5




article	diam	dk	k	l	lg	pzd	pilothole
424A060009	6	10	2,2	9	1,5	2	5
424A060013	6	10	2,2	13	1,5	2	5







article	diam	dk	k	l	s
424A66315M	6,3	9,5	1,5	15,5	4
424A66354M	6,3	9,5	1,5	54,5	4





article	diam	dk	k	l	pzd
447A068016	6,8	10	1,5	16	2
447A068020	6,8	10	1,5	20	2
447A068032	6,8	10	1,5	32	2

Wood screws : Flat head with hex recess

MAURI's wood screws are designed for use directly in wood based panels. The wide head base distributes tightening pressure evenly.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
562A0	•	•				•	•			•

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	b	diam	dk	k	l	s
562A063030	25	6,3	15	2,5	30	4
562A063040	35	6,3	15	2,5	40	4
562A063050	35	6,3	15	2,5	50	4
562A063060	35	6,3	15	2,5	60	4
562A063070	58	6,3	15	2,5	70	4
562A063080	58	6,3	15	2,5	80	4
562A063090	68	6,3	15	2,5	90	4
562A063100	68	6,3	15	2,5	100	4
562A063110	68	6,3	15	2,5	110	4

Wood screws : Flat head with Pz - Ph recess

MAURI's wood screws are designed for use directly in wood based panels. The wide head base distributes tightening pressure evenly.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
415A0	•	•				•	•			•
601A0	•	•				•	•			•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	diam	dk	ds	k	l	pzd
415A055050	5,5	12,5	5,2	3,3	50	3



article	b	diam	dk	k	l	ph
601A068013	9	6,8	12	2,5	13	3
601A068016	12	6,8	12	2,5	16	3
601A068019	15	6,8	12	2,5	19	3
601A068023	19	6,8	12	2,5	23	3

Wood screws : Hex head

MAURI's wood screws are designed for use directly in wood based panels. These screws have a metal thread inside the hexagon to allow for connection with other parts. May be used to support overhead structures in wood constructions. A hexagon socket is the preferred tool for installation.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
472A0	•					•			•	•
474A0	•	•				•	•		•	•

Coating





UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.



article	b	d	diam	k	l	s
472A010055	50	M10	8,5	16,5	55	12





article	b	d	diam	k	l	s	pilothole
474A006040	35	M6	6,3	16,5	40	10	5
474A006050	45	M6	6,3	16,5	50	10	5
474A006060	55	M6	6,3	16,5	60	10	5
474A008050	45	M8	6,3	16,5	50	10	5
474A008060	55	M8	6,3	16,5	60	10	5

Wood screws : Hook screws

MAURI's hook screws are designed for hanging items onto walls. Cabinets, radiators and other items can be hung using a hook screw.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic

- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
585A0	●	●				●	●			●

Coating



UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	a	b	diam	ds
585A054050	50	17	5,4	5,3
585A054063	63	17	5,4	5,3
585A058060	60	17	5,8	5,7
585A058063	63	17	5,8	5,7
585A058080	80	17	5,8	5,7
585A063054	54	17	6,3	5,2

Wood screws : Round head with hex recess

MAURI's wood screws are designed for use directly in wood based panels. The wide head base distributes tightening pressure evenly.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
514A0	•	•				•	•			•
514B9	•	•				•	•			•

Coating

312A006010 _




- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	b	diam	dk	k	l	s
514A063050	35	6,3	15	3	50	4
514A063060	35	6,3	15	3	60	4
514A063070	58	6,3	15	3	70	4





article	b	diam	dk	k	l	s
514B963030	28	6,3	15	3,5	30	5
514B963050	40	6,3	15	3,5	50	5
514B963070	58	6,3	15	3,5	70	5
514B963080	58	6,3	15	3,5	80	5

Metal screws : CSK head with hex recess

MAURI's CSK head metal screws are designed to remain flush with the surface in which they are inserted. They can be suitable for non-metal applications when an insert nut is installed.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
	Soft wood or Particle board	Hard wood or MDF	Laminate or HPL	Metal	Plastic	Manual Insertion	Semi automated processing	Industry automated processing	ISO inner thread	RoHS compliance
426A0				●		●	●			●


Coating

312A006010 _



UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	b	d	dk	l	s
426A006010	5	M6	12	10	4
426A006012	7	M6	12	12	4
426A006015	10	M6	12	15	4
426A006016	11	M6	12	16	4
426A006018	13	M6	12	18	4
426A006020	15	M6	12	20	4
426A006025	20	M6	12	25	4
426A006028	23	M6	12	28	4
426A006030	25	M6	12	30	4
426A006035	30	M6	12	35	4
426A006040	35	M6	12	40	4
426A006045	40	M6	12	45	4
426A006050	45	M6	12	50	4
426A006055	45	M6	12	55	4
426A006060	50	M6	12	60	4
426A006065	55	M6	12	65	4
426A006070	60	M6	12	70	4

article	b	d	dk	l	s
426A006075	65	M6	12	75	4
426A006080	65	M6	12	80	4
426A006090	80	M6	12	90	4
426A006095	85	M6	12	95	4
426A006100	95	M6	12	100	4
426A006110	95	M6	12	110	4
426A006120	115	M6	12	120	4
426A008015	9	M8	16	15	5
426A008020	14	M8	16	20	5
426A008025	19	M8	16	25	5
426A008030	24	M8	16	30	5
426A008040	34	M8	16	40	5
426A008050	44	M8	16	50	5
426A008060	50	M8	16	60	5
426A008070	60	M8	16	70	5
426A008080	65	M8	16	80	5

Metal screws : CSK head with Pz - Ph recess

MAURI's CSK head metal screws are designed to remain flush with the surface in which they are inserted. They can be suitable for non-metal applications when an insert nut is installed.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
420A0				•		•	•			•

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	b	d	dk	l	ph
420A006015	9	M6	12	15	3
420A006020	14	M6	12	20	3
420A006025	19	M6	12	25	3
420A006030	24	M6	12	30	3
420A006035	29	M6	12	35	3
420A006040	34	M6	12	40	3
420A006045	39	M6	12	45	3
420A006050	44	M6	12	50	3
420A006060	50	M6	12	60	3
420A006070	60	M6	12	70	3

Metal screws : Cutting head

The MAURI metal screws with cut head are mainly used in 90 degree joints with pilot hole 30mm. or 40mm. Installation is done by using the tool 650A0.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
515A0				•		•	•			•
515B4				•		•	•			•

Coating




UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	b	d	dk	k	l
515A006025	20	M6	10	7	25
515A006030	25	M6	10	7	30
515A006035	30	M6	10	7	35
515A006040	35	M6	10	7	40
515A006043	35	M6	10	7	43
515A006045	35	M6	10	7	45
515A006050	40	M6	10	7	50
515A006060	50	M6	10	7	60
515A006065	50	M6	10	7	65
515A006080	60	M6	10	7	80
515A076050	40	8,2x14W	11,5	9	50
515A076060	50	8,2x14W	11,5	9	60
515A076070	60	8,2x14W	11,5	9	70
515A076080	65	8,2x14W	11,5	9	80





article	b	d	dk	k	l
515B406030	20	M6	10	7	31
515B406035	20	M6	10	7	36
515B406040	30	M6	10	7	41
515B406050	30	M6	10	7	51
515B406065	50	M6	10	7	66
515B406080	50	M6	10	7	81

Metal screws : Flat head with hex recess

MAURI's metal screws are designed for use in counterparts with a metal thread. The wide head base distributes tightening pressure evenly.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
414A0				•		•	•			•
419A0				•		•	•			•
562A0				•		•	•			•
562C5				•		•	•			•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	d	dk	k	l	s
414A004025	M4	10	1,5	25	3
414A004028	M4	10	1,5	28	3
414A00412M	M4	10	1,5	12,5	3






article	b	d	dk	k	l	s
419A006100	100	M6	20	2	100	4
419A006120	100	M6	20	2	120	4





article	b	d	dk	k	l	s
562A006015	12	M6	15	2,5	15	4
562A006020	17	M6	15	2,5	20	4
562A006025	22	M6	15	2,5	25	4
562A006030	27	M6	15	2,5	30	4
562A006040	37	M6	15	2,5	40	4
562A006050	47	M6	15	2,5	50	4
562A006060	50	M6	15	2,5	60	4
562A006070	60	M6	15	2,5	70	4
562A006080	65	M6	15	2,5	80	4
562A006090	80	M6	15	2,5	90	4
562A006100	90	M6	15	2,5	100	4





article	d	dk	k	l	s
562C508016	M8	19	3	16	5
562C508020	M8	19	3	20	5
562C508025	M8	19	3	25	5
562C508030	M8	19	3	30	5
562C508035	M8	19	3	35	5
562C508040	M8	19	3	40	5
562C508045	M8	19	3	45	5
562C508060	M8	19	3	60	5
562C508100	M8	19	3	100	5
562C508110	M8	19	3	110	5

Metal screws : Flat head with Pz - Ph recess

MAURI's metal screws are designed for use in counterparts with a metal thread. The wide head base distributes tightening pressure evenly.





Scan QR code for more information

Fasten your business

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
										
497C4				•		•	•			•

Coating



UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	d	dk	k	l	pzd
497C404015	M4	10	1,5	15	2
497C404035	M4	10	1,5	35	2

Metal screws : Hex head

MAURI's metal screws are designed for use in counterparts with a metal thread. A hexagon socket is the preferred tool for installation.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
412A0				•		•	•			•
475A0				•			•	•	•	•


Coating

312A006010 _




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	b	d	k	q	s
412A076025	23	8,2x14W	4,5	25	12
412A076030	28	8,2x14W	4,5	30	12
412A076035	33	8,2x14W	4,5	35	12
412A076040	38	8,2x14W	4,5	40	12
412A076045	43	8,2x14W	4,5	45	12
412A076050	45	8,2x14W	4,5	50	12
412A076055	45	8,2x14W	4,5	55	12
412A076060	50	8,2x14W	4,5	60	12
412A076065	50	8,2x14W	4,5	65	12
412A076075	60	8,2x14W	4,5	75	12
412A076085	65	8,2x14W	4,5	85	12



article	b	d	l	q	s
475A008016	11	M8	44	16	14
475A010026	20	M10	44	26	14

Metal screws : Pan head

MAURI's metal screws are designed for use in counterparts with a metal thread. Pan head screws are characterized by a cylindrical head with an internal hexagon recess. A hexagon bit or key is the preferred tool for installation.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
	Soft wood or Particle board	Hard wood or MDF	Laminate or HPL	Metal	Plastic	Manual Insertion	Semi automated processing	Industry automated processing	ISO inner thread	RoHS compliance
425A0				•		•	•			•


Coating

312A006010 _



UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	d	dk	k	l	s
425A006010	M6	10	6	10	5
425A006015	M6	10	6	15	5
425A006020	M6	10	6	20	5
425A006025	M6	10	6	25	5
425A006030	M6	10	6	30	5
425A006035	M6	10	6	35	5
425A006040	M6	10	6	40	5
425A006045	M6	10	6	45	5
425A006050	M6	10	6	50	5
425A008015	M8	13	8	15	6
425A008020	M8	13	8	20	6
425A008025	M8	13	8	25	6
425A008030	M8	13	8	30	6
425A008035	M8	13	8	35	6
425A008040	M8	13	8	40	6
425A008045	M8	13	8	45	6
425A008050	M8	13	8	50	6

Metal screws : Round head with hex recess

MAURI's metal screws are designed for use in counterparts with a metal thread. The wide head base distributes tightening pressure evenly.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
514A0				•		•	•			•
514B5				•		•	•			•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	b	d	dk	k	l	s
514A006010	7	M6	15	3	10	4
514A006015	12	M6	15	3	15	4
514A006020	17	M6	15	3	20	4
514A006025	22	M6	15	3	25	4
514A006030	27	M6	15	3	30	4
514A006035	32	M6	15	3	35	4
514A006040	37	M6	15	3	40	4
514A006045	42	M6	15	3	45	4
514A006050	47	M6	15	3	50	4
514A006060	50	M6	15	3	60	4
514A006070	60	M6	15	3	70	4
514A006080	65	M6	15	3	80	4
514A006090	80	M6	15	3	90	4
514A006100	90	M6	15	3	100	4





article	b	d	dk	k	l	s
514B508015	15	M8	17	3,5	15	5
514B508018	18	M8	17	3,5	18	5
514B508020	20	M8	17	3,5	20	5
514B508025	25	M8	17	3,5	25	5
514B508030	30	M8	17	3,5	30	5
514B508035	35	M8	17	3,5	35	5
514B508040	40	M8	17	3,5	40	5
514B508045	45	M8	17	3,5	45	5
514B508050	50	M8	17	3,5	50	5
514B508060	50	M8	17	3,5	60	5
514B508065	55	M8	17	3,5	65	5
514B508070	60	M8	17	3,5	70	5
514B508080	65	M8	17	3,5	80	5

Metal screws : Round head with Pz - Ph recess

MAURI's metal screws are designed for use in counterparts with a metal thread. The wide head base distributes tightening pressure evenly.





Scan QR code for more information

Fasten your business


- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
										
404A0				•		•	•			•
404E4				•		•	•			•
413A0				•		•	•			•
501C4				•		•	•			•
555C4				•		•	•			•
565C4				•		•	•			•
565C6				•		•	•			•
565H1				•		•	•			•

	Materials					Assembling			Quality	
										
616C4				•		•	•			•


Coating


312A006010 _



UNPLATED	G
ZINC PLATED Cr3	Z
YELLOW ZINC PLATED Cr3	U
NICKEL PLATED	C
BRASS PLATED	O
BLACK ZINC PLATED Cr3	W
SPECIAL ZINC PLATED	Z5
GEOMET	I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.










article	combi_pzd	d	dk	k	l
404A00409M	2	M4	10	2	9,5
404A00410M	2	M4	10	2	10,5
404A00412M	2	M4	10	2	12,5
404A00414M	2	M4	10	2	14,5
404A00415M	2	M4	10	2	15,5
404A00419M	2	M4	10	2	19,5
404A00420M	2	M4	10	2	20,5
404A00421M	2	M4	10	2	21,5
404A00422M	2	M4	10	2	22,5
404A00423M	2	M4	10	2	23,5
404A00424M	2	M4	10	2	24,5
404A00427M	2	M4	10	2	27,5
404A00429M	2	M4	10	2	29,5






article	d	dk	k	l	pzd
404E404008	M4	9,1	2	8	2
404E404010	M4	9,1	2	10	2








article	b	combi_pzd	d	dk	k	l
413A006030	28	3	M6	15	3,5	30
413A006040	38	3	M6	15	3,5	40
413A006050	48	3	M6	15	3,5	50
413A006060	50	3	M6	15	3,5	60
413A006070	60	3	M6	15	3,5	70
413A006080	65	3	M6	15	3,5	80
413A008015	13	3	M8	16	4	15
413A008020	18	3	M8	16	4	20
413A008030	28	3	M8	16	4	30
413A008040	38	3	M8	16	4	40
413A008050	48	3	M8	16	4	50
413A008060	50	3	M8	16	4	60
413A008070	60	3	M8	16	4	70
413A008080	65	3	M8	16	4	80




article	combi_pzd	d	dk	k	l
501C404015	2	M4	10	2	15







article	combi_pzd	d	dk	k	l
555C406014	3	M6	15	3,5	14
555C406020	3	M6	15	3,5	20







article	combi_pzd	d	dk	k	l
565C404008	2	M4	10	2,5	8
565C404009	2	M4	10	2,5	9
565C404010	2	M4	10	2,5	10
565C404012	2	M4	10	2,5	12
565C404018	2	M4	10	2,5	18
565C404020	2	M4	10	2,5	20
565C404025	2	M4	10	2,5	25
565C404030	2	M4	10	2,5	30






article	combi_pzd	d	dk	ds	k	l	lg
565C604027	2	M4	11	5	2,5	27	9,4





article	combi_pzd	d	dk	k	l
565H104015	2	M4	10	2,5	15





article	d	dk	ds	k	lg	q
616C406023	M6	13	5,9	3	4	23
616C406028	M6	13	5,9	3	9	28
616C406030	M6	13	5,9	3	11	30
616C406032	M6	13	5,9	3	13	32

Studs : Hanger bolt

The MAURI hanger bolts are used to make connections between wood and metal. Having both a wood and metal thread, the hanger bolt creates attachment points in wood frames.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
400H1	●	●	●	●	●	●	●			●
613A0	●	●	●	●	●	●	●			●


Coating

312A006010 _




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.





article	b	d	diam	l
400H108050	24	M8	8,5	50
400H108060	29	M8	8,5	60
400H108070	34	M8	8,5	70
400H108080	39	M8	8,5	80
400H110060	30	M10	10,7	60





article	d	diam	dk	k	l
613A063037	M6	6,3	9	1	37

Studs : Studs for plastic

MAURI's studs with internal hex recess facilitate fine regulation of tensioning distance for wardrobe fittings. Our research and development team is here to help you design and create complex parts through unique solutions.



Scan QR code for more information

MAURI
Fasten your business

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
	Soft wood or Particle board	Hard wood or MDF	Laminate or HPL	Metal	Plastic	Manual Insertion	Semi automated processing	Industry automated processing	ISO inner thread	RoHS compliance
515C1				•		•	•			•
801A0						•	•			•
848A0						•	•			•
962A0						•	•	•	•	•
977A0						•	•			•
977E3						•	•			•
977H2						•	•			•
977K7						•	•			•


	Materials					Assembling			Quality	
										
978E3						•	•			•


Coating

312A006010 _


UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.







article	d	dk	k	l
515C11027M	M10	13,5	10	27,5
515C11053M	M10	13,5	10	53,5
515C112035	M12	15,5	11,5	35
515C112054	M12	15,5	11,5	54
515C112065	M12	15,5	11,5	65
515C11228M	M12	15,5	11,5	28,5







article	d	dk	k	l	p
801A008013	M8	12	2	13	10
801A008016	M8	12	2	16	10
801A008020	M8	12	2	20	15






article	d	dk	ds	k	l
848A008025	M8	7,6	13	3	25






article	b	d	dk	s
962A00632M	20	M6	6,8	10







article	d	dk	k	l
977A008029	M8	12	3	29
977A008034	M8	12	3	34
977A008049	M8	12	3	49
977A010019	M10	14	2,5	19
977A010029	M10	14	2,5	29
977A010034	M10	14	2,5	34
977A010039	M10	14	2,5	39
977A010044	M10	14	2,5	44
977A010049	M10	14	2,5	49
977A010069	M10	14	2,5	69




article	d	dk	k	l	s
977E310019	M10	14	2,5	19	5
977E310029	M10	14	2,5	29	5
977E310034	M10	14	2,5	34	5
977E310039	M10	14	2,5	39	5
977E310044	M10	14	2,5	44	5
977E310049	M10	14	2,5	49	5
977E310059	M10	14	2,5	59	5
977E310069	M10	14	2,5	69	5






article	d	dk	k	pzd	q
977H208029	M8	12	3	2	29
977H208034	M8	12	3	2	34



article	d	dk	k	l	s
977K708024	M8	12	3	24	4
977K708039	M8	12	3	39	4
977K708049	M8	12	3	49	4





article	d	dk	l	s
978E308018	M8	13	18	4
978E308025	M8	13	25	4
978E308030	M8	13	30	4
978E308045	M8	13	45	4
978E310020	M10	17	20	5
978E310025	M10	17	25	5
978E310030	M10	17	30	5
978E310037	M10	17	37	5
978E310040	M10	17	40	5
978E310050	M10	17	50	5
978E310060	M10	17	60	5

Stop screws : Hex recess

MAURI's stop screws are used for regulation purposes. By tightening and loosening the screw the position changes determine the regulation of the counterpart.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
									ISO	RoHS
810A0				•		•				•
810B4				•		•				•
810B5				•		•				•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.




article	b	d	l	s
810A012042	32,5	M12	42	6
810A01230M	21	M12	30,5	6





article	d	l	s
810B410028	M10	28	5
810B412030	M12	30	6






article	d	l	s
810B512030	M12	30	6

Pins : Pins

The range of pins by MAURI serves a variety of different purposes. Part functions range from wood connectors, parts that require rivetting, to lift mechanism connectors. Our research and development team is here to help you design and create complex parts through unique solutions.





Scan QR code for more information

MAURI
Fasten your business

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance


	Materials					Assembling			Quality	
										
590D0	•	•				•	•			•
590P2	•	•				•	•			•
590P4	•	•				•	•			•
655A0						•	•			•
841A0				•		•				•
861E1						•	•			•

Coating




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I


- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	b	diam	dk	ds	k	l	pilothole
590D051070	22,5	5,16	8	5	3	69,5	5






article	b	diam	dk	ds	k	l	pilothole
590P25168M	22,5	5,16	8	5	2	68,5	5







article	b	diam	dk	ds	k	l	pilothole
590P45169M	22,50	5,16	8	5	4	69,5	5







article	d	dk	k	p	q
655A008070	M8	12	1	13	70





article	d	dk	p	q	s
841A006037	M6	7,5	6	37	3






article	d	dk	ds	l	q
861E108036	M8	14	7,8	11	36

Brackets : Flat shape

MAURI's brackets are made from metal sheet. The range consists of parts for 180 degree joints and joints for the connection of bed headboards and sofa side modules.






Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
20103							•	•		•
20104							•	•		•
50703							•	•		•
50704							•	•		•


Coating

312A006010 _




UNPLATED		G
ZINC PLATED Cr3		Z
YELLOW ZINC PLATED Cr3		U
NICKEL PLATED		C
BRASS PLATED		O
BLACK ZINC PLATED Cr3		W
SPECIAL ZINC PLATED	5	Z5
GEOMET		I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	a	b
2010300000	125	13,5







article	a	b
2010400000	127	17





article	a	b	diam
5070300000	150	39	6,2





article	a	b	diam
5070400000	150	44,50	6,2

Brackets : L shape

MAURI's brackets are made from metal sheet. The range consists of parts for 90 degree joints and parts that add strength to joints, keeping them secure.





Scan QR code for more information

- Soft wood or Particle board
- Hard wood or MDF
- Laminate or HPL
- Metal
- Plastic
- Manual Insertion
- Semi automated processing
- Industry automated processing
- ISO inner thread
- RoHS compliance

	Materials					Assembling			Quality	
									ISO	RoHS
21701						•				•
21801						•				•
22001						•				•

Coating

312A006010 _



UNPLATED G



ZINC PLATED Cr3 Z



YELLOW ZINC PLATED Cr3 U



NICKEL PLATED C



BRASS PLATED O



BLACK ZINC PLATED Cr3 W




SPECIAL ZINC PLATED Z5




GEOMET I

- Some coatings may require a minimum order quantity.
- Different coatings can be requested for considerable orders.






article	a	b	c	diam
2170117017	19	16	2	5





article	a	b	c
2180122022	22	22	2





article	a	b	c	diam
2200138038	38	15	2	5

Take your notes !



Take your notes !



Fasteners Creators Since 1953

Fasten your business

UNIT 1: F.lli Mauri S.p.A.
Via Barzago 189 - 23852 Garlate (LC) Italy Tel.
+39 0341 681475 Fax. +39 0341 681483

UNIT 2: F.lli Mauri S.p.A.
Via del Lavoro 5 - 23854 Olginate (LC) Italy
Tel. +39 0341 681475 Fax. +39 0341 681483

contact us at:
sales@mauri-fm.it



www.mauri-fm.it